

## PARTITION INSTALLATION

### Timber or Steel Frame

Framing should be constructed in accordance with local building regulations and acceptable building practice.

A minimum of 45mm finished plain timber or a steel frame is preferred for the face of a stud, or nogging under a joint to provide sufficient landing for nails or screws to be placed at the minimum recommended distance from the edge of the board.

### Fixing Instructions (refer Figure 5 & Figure 6)

Fasteners should be driven along sides or along ends of boards at approximately 200mm centres, and along intermediate studs at approximately 300mm centres.

Fasteners should not be less than 12mm from board edges and 50mm from corners.

For steel frames, do not fix to top and bottom runners or noggings.

For large areas, expansion joints must be provided at maximum 7.5 metre intervals.

### Insulation

Where foil insulation is required as a climate control and moisture barrier, it should always be fixed to the appropriate side of the stud in the framework.

Figure 5





Figure 6




### Painting

For excellent results, UCO Superflex boards may be painted with water-based acrylic paints. No additional primers or sealers are required. In all cases, reference should be made to the paint manufacturer's instructions.

For further information on other applications, please consult our technical sales personnel.


### Fasteners

Nails (for fixing to timber frames)  
Galvanised Fibre Cement Nails:  
25mm long for hardwood  
30mm long for softwood  
(for thin ceiling board, a shorter nail may be sufficient)



Nail

Screw (for fixing to metal frame)  
'Teks' Screw  
Self-embedding head  
– No. 8 x 20mm or longer.



ick UCO  
structural @  
led with

ick UCO  
structural @  
led with

building  
ent of all

c.). UAC  
jects or

s ("UAC  
Products  
ults. The

AC

.C  
its

ct in the

tigations,  
) replace  
defective  
ucts with  
it defects  
cts. The  
f the said


ed to the  
arranties  
n Sale of  
tisfactory  
dealing or

e liable to  
g without  
damages,  
ract, tort,  
the UAC  
oss.







# SUPERFLEX APPLICATIONS




**exposed joint ceiling**




**ceiling with batten**



**decorative board**




**eave lining**



**wall cladding (external)**



**wall cladding**







# SUPERFLEX

## BUILDING PRODUCTS SPECIFICATION

### CEILING:

#### Timber nail-on application:

3.2mm thick "UCO SUPERFLEX" asbestos free cellulose fibre cement ceiling panel as described with 3mm butt joint in 610mm x 1220mm panel set out symmetrically from the centre of the room, fixed on pressure treated grade 'B' timber ceiling joints and noggin at 610mm centres, with 75mm x 38mm wall plate at wall junction and 38mm x 12mm beading with rounded edges.

#### Exposed Aluminium Grid Suspension application:

Exposed grid suspended ceiling system consisting of 593mm x 1193mm x 3.2mm thick.

UCO SUPERFLEX asbestos free fibre cement boards lay on top of main runner spaced at 1200mm centres supported by suspension rods at 1200mm maximum. Centres with suspension clips, cross runner are looked into the main runner at 600mm centres and the perimeter is finished with wall angle, all fixed in according to manufacturer's instruction and recommendation or other approved equivalent.

### INTERNAL WALL

To supply and install UCO SUPERFLEX internal drywall system using 2440mm x 1220mm x 6mm thick high moisture resistant fibre cement board, fixed onto G.I. channels vertically @ 610mm c/c. All joints to be expressed by 10mm gap to manufacturer's detail, excluding main steel structural framing & finishes.

### EXTERNAL WALL ( Steel Frame)

To supply and install of UAC cladding system using 9mm thick UCO SUPERFLEX fibre cement board fixed onto 1.2mm thick G.I. nesting channel at 610mm centre (main steel structure framing by others). All joints to be expressed by 10mm gap according to manufacturer's detail, to give water tightness. - Excluding painting

### FLOORING

To supply and install UAC flooring system using 12mm thick UCO SUPERFLEX fibre cement board fixed onto steel structural @ maximum 305mm centre floor joist. (All joints to be sealed with sealant / epoxy, to give water tightness).

To supply and install UAC flooring system using 15mm thick UCO SUPERFLEX fibre cement board fixed onto steel structural @ maximum 406mm centre floor joist. (All joints to be sealed with sealant / epoxy, to give water tightness).

### WARRANTY

The recommendation in this brochure are formulated along the lines of good building practice. However, this brochure is not intended to be an exhaustive statement of all relevant data.

As the success of building projects depends on many factors outside UAC's control (e.g. quality of workmanship, particular design detail requirements etc.), UAC accepts no responsibility or liability for or in connection with the quality of the projects or their suitability when completed.

For a warranty period of one year from date of delivery of UAC's products ("UAC Products") to the purchaser ("Warranty Period"), UAC warrants that the UAC Products are free from defects which are solely due to materials or manufacturing faults. The foregoing warranty shall not apply to the extent that :

- The defect, loss or damage is caused by any act, default or misuse of the UAC Products (or part thereof) by the purchaser or any third party or by failure to follow any instructions or specifications of UAC or by modification of the UAC Products or installation, application and / or combination of the UAC Products with any other product not approved by UAC; or
- UAC is not notified in writing within the Warranty Period of any relevant defect in the UAC Products or part thereof.

Subject to such provisos, UAC will at its sole option and subject to the investigations, verifications and inspection of such defect by a UAC representative, either (a) replace such defective UAC Product or part thereof; or (b) re-fund the price paid for the defective UAC Product or part thereof. The liability of UAC shall include only Products with antecedent defects. The liability cannot be extended to include Products without defects which might have been delivered at the same time as the defective Products. The foregoing shall be the sole and exclusive remedy in the event of any breach of the said warranty.

To the greatest extent permitted by any applicable law, the warranties referred to the above shall be sole and exclusive and in lieu of all implied or statutory warranties (including without limitation, the implied warranties imposed by the Malaysian Sale of Goods Act 1957 and all other warranties implied by law as to merchantability, satisfactory quality or fitness for a particular purpose, or otherwise arising from course of dealing or usage of trade) or any other express or implied warranties or representations.

To the greatest extent permitted by any applicable law, in no event shall UAC be liable to the purchaser or any other person or entity for any loss or damage including without limitation special, indirect, incidental, punitive, exemplary, or consequential damages, loss of profits, loss of business or loss of use; whether based upon contract, tort, negligence or otherwise arising out of the manufacture, sale or delivery of the UAC Products, even if UAC has been advised of the possibility of such damage or loss.

BUILD BETTER WITH



the NAME you can TRUST





# SUPERFLEX

The Ultimate  
Multi Purpose  
Building Board

- ✓ Tough
- ✓ Flexible
- ✓ Versatile







# SUPERFLEX

UCO SUPERFLEX is an autoclaved cellulose fibre cement flat board, creamy white in colour. It is an asbestos-free board with a smooth surface and a square edge.

It is tough and flexible, an ideal choice for many general building purposes, including ceiling and wall partitioning, both internally and externally. It is also used for gable end, facade, eave lining, permanent formwork and substrate flooring.

## ADVANTAGES

- ✓ Tough & Flexible
- ✓ Durable
- ✓ Dimensionally stable
- ✓ Smooth surface
- ✓ Fire resistant
- ✓ Termite proof
- ✓ Non-hazardous to health – 100% asbestos-free
- ✓ Versatile in application
- ✓ Rapid installation
- ✓ Suitable for all types of finishes
- ✓ Virtually maintenance-free – cost effective

## GENERAL PRODUCT INFORMATION

### Product Characteristics

#### Basic Composition

Portland cement, refined sand and cellulose fibre

### Specifications/Physical Properties

UCO Superflex is certified to MS 1296:1992 "Fire Cement Flat Sheets"

#### Fire Resistant

UCO Superflex is classified as \*Class 'O' material under Malaysian Uniform Building By-Laws. The product is "Fire-Listed" under SIRIM QAS Fire Listing Scheme with performance index :

- a) BS 476 : Part 6 : 1989 (Fire Propagation)  
Index of performance (I) = 0.0 to 1.8  
Sub-index (i<sub>1</sub>) = 0.0 to 1.1
- b) BS 476 : Part 7 : 1997 (Surface Spread of Flame)  
No Surface Flame Spread - Class 1 (the best class)

\*Class 'O' criteria :  $I < 12$ ,  $i_1 < 6$  and No Surface Flame Spread

#### Density At Oven Dry

1.33 to 1.42 g/cm<sup>3</sup>

#### Water Absorption (by weight)

22.0% (\*\*EMC to Saturated)

\*\*EMC : Equilibrium Moisture Content, at 25°C & 50% Relative Humidity

#### Moisture Content At EMC (by weight)

8.0%

#### Flexural Strength (Modulus of Rupture)

	Average	Across fibre	Along fibre
Oven Dry	20	22	17
EMC	18	21	15
Saturated	13	15	11

#### Thermal Conductivity

Estimated at 20°C 0.30 W/m.K

#### Moisture Movement

0.06% to 0.08% (Saturated to EMC)

## Standard Sizes and Dimensions

Nominal Thickness (mm)	Nominal weight of board (kg) For standard sizes in (mm)				
	2440 x 1220mm	1220 x 1220mm	1220 x 610mm	603 x 603mm	595 x 595mm
3.2	13.8	6.9	3.5	1.7	1.7
4.5	19.6	9.8	4.9	-	-
6.0	26.6	13.3	6.7	-	-




## Handling and Storage

Boards should be stacked flat on level surface with sufficient support such as on pallet/frame or on timber blocks as shown in diagram (i).

Do not stack boards with insufficient support as shown in diagram (ii).

To ensure optimum performance, store boards undercover and keep dry prior to fixing. If the boards should become wet, allow to dry before fixing is commenced.



## CEILING INSTALLATION

### Timber Framing

Framing should be constructed in accordance with local building regulations and acceptable building practice.

Typical framing grid should be spaced at 610mm x 1220mm centres. However, if exposed joint (Figure 3) installation is used, adjustment to the framing centres should be taken into account.

Kiln-dried timber should be chosen to minimise shrinkage.

### Nail Fixing (Figure 1)

Fasteners should be driven into each framing structure at 200mm centres maximum. Fasteners should not be placed less than 10mm from sides and 50mm from corners.

### Joint

Two typical joint installations can be applied as shown in Figure 2 and Figure 3.

For large areas, ceiling should be divided into bays not exceeding 10m x 7.5m, to provide for expansion joints.

### Special Framing Design Consideration :

Boards should not be fixed directly to the underside of steel or timber roof trusses or rafters. A timber ceiling frame work or a suspended ceiling grid should be used.

### Suspended Ceiling Installation

The framing members for suspended ceiling (Figure 4) come in a standard kit to be installed as follows :

Main runners are fixed at 1220mm centres securely fastened to the structural soffit using an appropriate suspension at 1220mm centres. Cross Tees of 1220mm length to be fixed between the main runners at 610mm centres and another cross tee fixed at mid span between 610mm to form a grid structure of 610mm x 610mm.

Suspend the 4 sides of the ceiling board freely on the grid. Suspended ceiling boards are typically 603mm x 603mm.

Figure 1: Nail Fixing




Figure 2: Joint with Batten




Figure 3: Exposed Joint




Figure 4: Suspended Ceiling

